



"Working for healthier India"

# Each Cadrol 2.5 mg/6.25 mg tablet contains:

Bisoprolol fumarate......2.5 mg

Each Cadrol 5 mg/6.25 mg tablet contains:

Bisoprolol fumarate...... 5 mg

# Each Cadrol 10 mg/6.25 mg tablet contains:

Bisoprolol fumarate......10 mg

Inactive ingredients include Colloidal Silicon Dioxide, Corn Starch, Dibasic Calcium Phosphate, Hypromellose, Magnesium Stearate, Microcrystalline Cellulose, Polyethylene Glycol, Polysorbate 80, and Titanium Dioxide. The 5 mg/6.25 mg tablet also contains Red and Yellow Iron Oxide. The 2.5 mg/6.25 mg tablet also contains Crospovidone, Pregelatinized Starch, and Yellow Iron Oxide.

### **INDICATIONS**

Cadrol (bisoprolol fumarate and hydrochlorothiazide) is indicated in the management of hypertension. It combines two antihypertensive agents in a once-daily dosage: a synthetic beta1-selective (cardioselective) adrenoceptor blocking agent (bisoprolol fumarate) and a benzothiadiazine diuretic (hydrochlorothiazide).

### **USES**

- This combination medication is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems.
- This product contains two medications. Bisoprolol is a beta blocker that works by blocking the effect of certain natural chemicals (e.g., epinephrine) on the heart and blood vessels. This slows your heartbeat, lowers blood pressure, and reduces strain on the heart. Hydrochlorothiazide is a "water pill" (diuretic) that works by increasing the amount of urine that you make. This causes your body to get rid of extra salt and water, which probably helps to relax the blood vessels so that blood can flow more easily. These two drugs are used together when one medication is not controlling your blood pressure. Using these two drugs together can also reduce the amount of each drug you must take, thereby decreasing the chances of side effects.





"Working for healthier India"

# **DOSAGE AND ADMINISTRATION**

Bisoprolol is an effective treatment of hypertension in once-daily doses of 2.5 to 40 mg, while hydrochlorothiazide is effective in doses of 12.5 to 50 mg. In clinical trials of bisoprolol/hydrochlorothiazide combination therapy using bisoprolol doses of 2.5 to 20 mg and hydrochlorothiazide doses of 6.25 to 25 mg, the antihypertensive effects increased with increasing doses of either component.

#### **WARNINGS**

Cardiac Failure: In general, beta-blocking agents should be avoided in patients with overt congestive failure. However, in some patients with compensated cardiac failure, it may be necessary to utilize these agents. In such situations, they must be used cautiously.

### **PRECAUTIONS**

General

Electrolyte and Fluid Balance Status: Although the probability of developing hypokalemia is reduced with Cadrol because of the very low dose of HCTZ employed, periodic determination of serum electrolytes should be performed, and patients should be observed for signs of fluid or electrolyte disturbances, ie, hyponatremia, hypochloremic alkalosis, hypokalemia, and hypomagnesemia. Thiazides have been shown to increase the urinary excretion of magnesium; this may result in hypomagnesemia.

## **Parathyroid Disease**

Calcium excretion is decreased by thiazides, and pathologic changes in the parathyroid glands, with hypercalcemia and hypophosphatemia, have been observed in a few patients on prolonged thiazide therapy.

### CONTRAINDICATIONS

Cadrol is contraindicated in patients in cardiogenic shock, overt cardiac failure (see WARNINGS), second or third degree AV block, marked sinus bradycardia, anuria, and hypersensitivity to either component of this product or to other sulfonamide-derived drugs.

Presentation

Cadrol Tablets Blister of 10 Tablets

<u>Note:</u> This product information is intended only for residents of the India. Taj Pharmaceuticals Limited, medicines help to treat and prevent a range of conditions—from the most common to the most challenging—for people around the world.

tajagroproducts.com tajfordoctors.com





"Working for healthier India"

# **Information for Health Care Professionals**

\*\*\* Please consult local Prescribing Information for any product before use. This website is an international information resource for healthcare professionals with an interest in disease management. This website is not intended to replace the advice of a qualified healthcare professional. Above brand is a trademark of the Taj group of companies (Taj Pharmaceuticals Limited).