#### Taj group of companies

#### Sixteen divisions

Worldwide Distribution



# Taj Pharmaceuticals Ltd.

### 'Curing Lives'

Serving for Human ailments with Quality Brand Formulations



www.tajpharmaceuticals.com





#### **HEALTHCARE PRODUCTS** AT AFFORDABLE PRICES

WITH 26 BRANCHES WORLDWIDE

#### TAJ GROUP OF COMPANIES TAJ PHARMACEUTICALS LIMITED.

#### **MORE THAN 600 TRUSTED BRANDS WORLDWIDE**















































#### Discovers, develops, manufactures, and markets leading prescriptions

We want to discover, develop and successfully market innovative products to prevent and cure diseases, to ease suffering and to enhance the quality of life

www.tajagroproducts.com	www.tajfordoctors.com
www.tajapi.com	www.tajpharma.com

For further information please write to:

#### © 2004-2010 Taj Pharmaceuticals Limited.

F-mail: tajgroup@tajpharmaceuticals.com / tajpharmaceuticals@rediffmail.com Web.: Www.tajpharmaceuticals.com, www.tajfordoctors.co.in





Working For Healthier World<sup>™</sup> INDIA

















# HEALTHCARE PRODUCTS AT AFFORDABLE PRICES

#### **WITH 26 BRANCHES WORLDWIDE**

















" Billions of heartbeats evaluates by Taj Pharmaceuticals Products in the world "



A promising molecule for treating **Breast Cancer**\*\*
Anastrozole 1 mg tablets


# ATC 1 mg anastrozole

For early breast cancer prescribe.



a day.... keeps Breast Cancer\* recurrence away

- Offer Efficacy
  - Compliance
  - Safety
  - Economy



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

a-B Arte.

Arachis Oil Injection 150 mg/2ml.

**PRODUCT RANGE** 

# \*Artemetial\*

α-β Arteether 150 mg & Arachis Oil Inj.



- ✓ Fast acting blood schizontocide
- ✓ Clinical Cure Rate 97.14 %
- ✓ Fever Clearance Time (FCT) 37.27 hrs
- Even effective during complicated cases
  - ★ Cerebral malaria
  - ★ Chloroquine resistant P. falciparum malaria

**Dosage: Intramuscular use only** 

Adults: 150 mg i.e. 1 ampoule of Artemotial

once daily for 3 consecutive days

Children: 3 mg/Kg per day over a 3-day period

Stepup Against Malaria

Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

# Azithromycin USP Tabs./Syrup

#### **Upper Respiratory Track Infections**

Azeed can be substituted for Amoxicillin in upper respiratory track infection

#### **Lower Respiratory Track Infections**

It is highly clinically effective in acute and chronic bronchitis and pneumonia

#### **Acute Otitis media**

Has become frequent choice for many common pediatric infection such as otitis media and pharygitis

Azithromycin is an azalide, a subclass of macrolide antibiotics

Azithromycin is used to treat certain infections caused by bacteria, such as bronchitis; pneumonia; sexually transmitted diseases (STD); and infections of the ears, lungs, skin, and throat. Azithromycin is in a class of medications called macrolide antibiotics. It works by stopping the growth of bacteria. Antibiotics will not work for colds, flu, or other viral infections.



AZEED™ 250/500

The truly universal Macrolide

Also Available

AZEED<sup>™</sup> 100mg & 200mg

Suspension

Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.



**ASCARDILL™** is a low dose aspirin that helps prevent blood clotting and reduces the risk of heart attack and stroke in patients with blood vessel disorders. Low dose aspirin helps reduce blood stickiness, the tendency of blood to clot.

ASCARDILL™ is used to help protect against some of the problems which can be caused by clotting in the blood stream.

**ASCARDILL**™ may be useful if you are at risk of coronary artery disease, angina, transient ischaemic attacks (TIAs or mini strokes), stroke (due to a blood clot) or heart attack.

ASCARDILL

Aspirin 75mg/150mg + Glycine 37.5/75mg

Slow absorption gives maximum Anti-Clotting effect.

Start with ASCARDILL ......

Continue with ASCARDILL ......

NO.1 in INDIA



#### During Cold & Cough









**CPM + Codeine** 

- Reduces allergic symptoms
- Clears Respiratory tract
- Relieves congestion

- Potent antitussive action
- Reduces distressing symptoms
- Relieves irritation



- Allergies rhinitis
- Sinusitis
- Sneezing & runny nose



- Dry allergic cough
- Nocturnal cough & smokers cough
- Drug induced cough







For Prompt Cough Relief


60ml/100ml

Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

# $Betasec^{\text{\tiny TM}}$

Betahistine dihydrochloride 8/16/24/32 MG

# <sup>®</sup>Vertigo



Vertigo is usually associated with a problem in the inner ear balance mechanisms (vestibular system), in the syndrome and Meniere's disease.

Transient vertigo can be caused by inflammation of the inner ear due to the common cold, influenza, and bacterial infections. Vertigo can also occur after long flights or boat journeys where the mind gets used to turbulence, resulting in a person's feeling as if he or she is moving up and down. This usually subsides after a few days. Another source of vertigo is through exposure to high levels of sound pressure, rattling the inner ear and causing a loss of balance. Consumption of alcohol can also cause vertigo.

Rarely, vertigo-like symptoms may appear as paraneoplastic syndrome (PNS) in the form of opsoclonus myoclonus syndrome, an extremely rare multi-faceted neurological disorder associated with many forms of incipient cancer lesions or viruses.

- Available as Tablets
  - Uses : Vertigo
- Side effects\* Gastric upset, headache, rash, dizziness, sleeplessness
- Use with Care Bronchial asthma
- Do not give anti-histamines concurrently
- Not used in Pregnancy and breast feeding
- Children below 12 years
  Peptic ulcer



Betalistine dihydrochloride
8/16/24/32 MG

NOTE: \* The side effects are seen in a small percentage of persons using the medicine. The benefits of using the drug usually out-weigh the side-effects. Your doctor is the best person to decide the use and dosage of any drug.







- Hypertension,
- CAD
- Arrhythmias,
- **CHF**


#### **USE CADROL**

 Bisoprolol is in general metabolically neutral (lipids/ longterm therapy, glucose).

### Cardioselective Beta-Blocker

- Bisoprolol is reliably effective for 24 hours in hypertension and coronary artery disease (angina pectoris) with a single dose per day.
- Bisoprolol has demonstrated significant survival benefit in CHF patients whatever the aetiology of the disease.

- Bisoprolol has a bioavailability of about 90%.
- Bisoprolol is removed from the plasma via 2 equally effective routes of clearance (balanced clearance): 50% metabolisation to inactive metabolite 50% renal excretion of the unchanged substance. No dosage adjustment of bisoprolol is necessary in patients with mild to moderate renal or hepatic dysfunction. A maximum dose of 10 mg/day is called for only in terminal stages of insufficiency.





#### TAJ PHARMACEUTICALS LTD.

ONCE A DAY 250mg/500mg/1000mg

## **CEPTRADIN**

(ceftriaxone sodium)

 ${R\!\!\!\!/}_{\text{only.}}$ 











INFECTION IN IMMUNOCOMPROMISED PATIENTS



**Ceftriaxone** is a third generation cephalosporin frequently used in clinical practice for various infections in all age groups.



CEPTRADIN<sup>®</sup>-S

**Ceftriaxone + Sulbactam Inj.** 

Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

# CETRILIN

Cetirizine Dihydrochloride Tablets

- ✓ Potent antihistaminic (H1) action
- ✓ Does not cross Blood Brain Barrier
- ✓ Dilates respiratory airways



Cetrizine Dihydrochloride + Pseudoephedrine + Ambroxol Tablets

- √ Liquifies thick mucus
- ✓ Relieves congestion & chocking





- Seasonal Rhinitis
- \* Running nose
- Allergic asthma
- \* Allergic cough & cold
- Allergic dermatitis



All day relief from allergy



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.



#### **One of Neuronal Rejuvenator**

- Helps in the formation of myelin sheath
- Promotes growth
- Regenerates nerve cells

#### Mecobalamin


- Body's own form of Vit. B<sub>12</sub>
- Highly effective & safe for treating symptoms of diabetic neuropathy, Peripheral neuropathy & arthritis.

#### **Alpha Lipoic Acid**

- Positive impact on lipid profile
- Prevents or treats many age-related diseases, from heart disease & stroke to diabetes & cataracts.

#### **Multivitamins**

Replenishes routine requirement of vitamins to body




To Recharge Mind & Body



- Hyperhomoeysteinaemia
- Multiple Selerosis







Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

# Indigestion Problem?

# DIZICUM LIQUID



lpha - Amylase 62.5 mg+ Pepsin 20 mg/10 ml

Digestive Enzyme



Carbohydrates (50 to 60%) & Proteins (20 to 30%) are the major contents of our food

#### **Amylase**

Important enzyme in carbohydrate digestion Digests polysaccharide, starch & complex sugars into simple sugars like glucose

#### **Pepsin**

- Proteolytic enzyme
- Essential for digestion of complex proteins to easily absorbable peptides & amino acids





\*\* It is classified as a first-generation sulphonylurea

**PRODUCT RANGE** 

Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

Type 2 diabetes

Gliclazide BP (pronounced gli-cla-zide)
Modified-Release Tablets

You have been prescribed Diamicron MR for Type 2 diabetes (also known as non-insulin-dependent diabetes

(NIDDM), or maturity-onset

The name of your medicine is Divacron MR. The medicine releases the active ingredient gliclazide progressively over 24 hours. Gliclazide belongs to a group of medicines called sulphonylureas (sometimes spelled "sulfonylureas").

Control of hyperglycemia in gliclazide responsive diabetes mellitus of stable, mild, non-ketosis prone, maturity onset or adult type which cannot be controlled by proper dietary management and exercise, or when insulin therapy is not appropriate.

\* The side effects are seen in a small percentage of persons using the medicine. The benefits of using the drug usually out-weigh the side-effects. Your doctor is the best person to decide the use and dosage of any drug.







WARNINGS: Not used in Severe kidney and liver disorder
Diabetes complicated by increased production of ketone bodies
Pregnancy and breast feeding




Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.

### **DECA-DURALIN**

Nandrolone decanoate 25MG / 50MG



Nandrolone decanoate is used in the treatment of osteoporosis in postmenopausal women (though now not recommended) at a dose of 50 mg every three weeks. It is also used for some aplastic anaemias.

Nandrolone decanoate is indicated for the management

of the anemia of renal insufficiency and has been shown to increase hemoglobin and red cell mass. Surgically induced anephric patients have been reported to be less responsive.

> DYNAMIC BODY SHAPE DYNAMIC BODY SHAPE

Also available :-



**DEPOTREST**®

Testosterone Cypionate Injection (USP) 50 mg/mL ,100 mg/mL and 200 mg/mL

Deca-Duralin® Nandrolone Decanoate for injection

testosterone phenylpropionate 60 mg

Winstral-Depot 10 ML Stanozolol(intra-muscular)

Methenolone Enanthate 100 mg/m

TAKER® XR 10 ML Boldenone Undecvlenate 250 mg/ml

Meviron®

ANAVILL Oxandrolone 10 mg/tablet

Copyright © 2002-2008 Taj Pharmaceuticals Ltd (Taj Group). All rights reserved. This information is intended only for Exports. Taj Pharmaceuticals Ltd is a pharmaceutical company committed to helping people improve their health by discovering

Note: Above products are approved for overseas (Export) market only., These products are not marketed in India and Nepal.



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

"no deterrent in the control of pain in terminal illness"
Available by prescription, though it is a restricted Class A drug.

DIAMONEX

Diamorphine hydrochloride BP Injection (5mg, 10mg, 30mg, 100mg, 500mg)

A WHITE TO OFF-WHITE, STERILE, FREEZE DRIED POWDER OF


DIAMONEX -Diamorphine Hydrochloride BP for reconstitution for injection.

Diamorphine may be used in the **treatment of severe pain** associated with **surgical procedures**, **myocardial infarction** or pain in the terminally ill and for the relief of dyspnoea in acute pulmonary oedema.

DIAMONEX -Diamorphine may be given by the intramuscular, intravenous or subcutaneous routes. Glucose intravenous infusion is the preferred diluent, particularly when the drug is administered by a continuous infusion pump over **24 to 48 hours**, although it is also compatible with sodium chloride intravenous infusion.

Diamorphine is a potent opiate analgesic which has a more rapid onset of activity than morphine as the first metabolite, monoacetylmorphine, more readily crosses the blood brain barrier. In man, diamorphine has a half life of two to three minutes. Its first metabolite, monoacetylmorphine, is more slowly hydrolysed in the blood to be concentrated mainly in skeletal muscle, kidney, lung, liver and spleen. Monoacetylmorphine is metabolised to morphine. Morphine forms conjugates with glucuronic acid. The majority of the drug is excreted via the kidney as glucuronides and to a much lesser extent as morphine. About 7-10% is eliminated via the biliary system into the faeces. Diamorphine does not bind to protein. However, morphine is about 35% bound to human plasma proteins, mainly to albumin. The analgesic effect lasts approximately three to four hours.

\* Water for Injections (Not detectable in the finished product).
2ml Neutral glass ampoules, PhEur. Type 1. Ampoules are packed into cartons of 5, 10 or 50.




DIAMONE

Diamorphine hydrochloride BP Injection (5mg, 10mg, 30mg, 100mg, 500mg)

Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.

Etanercept. FDA-approved to treat rheumatoid arthritis, psoriasis, ankylosing spondylitis, psoriatic arthritis, and juvenile rheumatoid arthritis.



#### **Moderate to Severe Plaque Psoriasis**

ENBROL is indicated for the treatment of adult patients (18 years or older) with chronic moderate to severe plaque psoriasis who are candidates for systemic therapy or phototherapy.

\* In medical studies, nearly half of patients saw a significant improvement in their plaque psoriasis within 3 months of using ENBROL. Overall, 3 out of 4 patients saw improvement. ENBROL can work fast; many patients saw improvement within 2 months. ENBROL has been shown to be effective through 12 months of therapy.

ENBROL is a type of protein called a tumor necrosis factor (TNF) blocker that blocks the action of a substance your body makes called TNF. Tumor necrosis factor is made by your body's immune system. People with immune diseases such as rheumatoid arthritis, juvenile idiopathic arthritis, ankylosing spondylitis, psoriatic arthritis, and plaque psoriasis have too much TNF in their bodies.



<sup>\*</sup> Not open to uninsured patients or patients eligible for or covered by federal, state, or government-funded insurance programs (for example, Medicare, Medicaid, etc) or patients who live in Massachusetts (or where prohibited by law). Restrictions, including monthly maximums, may apply. Offer subject to change or discontinuation without notice.

Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.

# Fruitomin®

#### GROWTH PROMOTING FORMULA

- ✓ Nourishes cells & tissues
- ✓ Enhances enzymatic action
- ✓ Improves energy reactions
- √ Recharges life

PROTEIN + Carbohydrate with
Iron + Vitamins + Minerals





- © Increased requirements of
  - Pregnancy
  - Childhood growth
- © Chronic illness
- © Post-surgery & burns









200 ml bottle.

USFDA Approved



Loose Weight

- Sibutramine
- Serotonin
- Norepinephrine

FETRASI

(Sibutramine Hydrochloride Monohydrate) **Anti Obesity Capsules** 

> FETRASIL works by acting on the appetite control center in the brain.

Studies have shown

FETRASIL, along with a reduced-calorie diet and exercise, helped patients loose weight and maintain weight loss

DBESE 2% of these are Morbidly OBESE



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

1 Tablet : Oral Route

Levonorgestrel Tablet
Emergency Contraceptive PiN

G-pill<sup>TM</sup>
1 Tablet



Emergency, Contraceptive, Pill, Gpill, G-pill, ECP, conceive, Conception, Morning after, Unintended pregnancy, Female condoms, Sex, Unwanted pregnancy, ...

G-pill is an oral tablet. It should be swallowed with some water within 72 hours of unprotected sex to prevent pregnancy. It is advisable to take G-pill after meals to prevent vomiting. If you vomit within three hours of taking G-pill, you should take another G-pill as soon as possible.G-pill should not be used if you are already pregnant because it is only a backup or emergency method of contraception. It is not as effective as other regular birth control methods.G-pill is not recommended if you are allergic to levonorgestrel.

G-pill is a single-pill emergency contraceptive that offers

you an effective way to prevent an unplanned pregnancy

Important safety aspects: G-pill is neither a regular contraceptive nor an abortion pill. It is not a substitute for condoms and does not protect against sexually transmitted diseases including HIV/AIDS.

Levonorgestrel Tablet
Emergency Contraceptive Pill

G-pill

TM

Taj Group of Companies
TAJ PHARMACEUTICALS LTD.



Fungicidal, Bactericidal & Trichomonacidal

# GYNASAFE

Vaginal Suppositories

Clindamycin 100 mg & Clotrimazole 100 mg Soft Gel Capsules

During

✓ Effective bactericidal activity
✓ Covers fungi, yeast & dermatophytes

- Trichomoniasis
- Vaginal candidiasis
- Infective leucorrhoea
- Vaginal mycoses
- Bacterial vaginitis
- Non-specific vaginitis

Effective Way to Treat Infections



Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.

**GROWTH HORMONE DELIVERY** 

**HGH/191 Amino Acid Sequence HGH** 

# Humogen®

[somatropin (rDNA origin) for injection]


#### **Human Growth Hormone**

Available as: 4 i.u. /16 i.u.



Saizen growth Normal growth

Twin Boys



It promotes growth by inducing hyperplasia. It acts on cell surface receptors present on all cells. Binding of GH molecule to the extracellular domain of two growth hormone receptors induces their dimerization and activates intracellular domain through a single transmembrane peptide segment.

Saizen® is The registered Trademark of Taj pharmaceuticals Ltd., India



Humogen<sup>®</sup>-VX
SOMATREM - INJECTION (SO-muh-trem)



Introducting

Get good blood sugar control with inhable REXSULIN.



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.

**PRODUCT RANGE** 

LORAVAN is used to treat anxiety disorders.








#### **NO.1 FOR ANTI- ANXIETY MEDICINE**

LORAVAN (lorazepam) is indicated for the management of anxiety disorders or for the



For elderly or debilitated patients, an initial dosage of 1 to 2 mg/day in divided doses is recommended, to be adjusted as needed and tolerated.

The dosage of LORAVAN (lorazepam) should be increased gradually when needed to help avoid adverse effects. When higher dosage is indicated, the evening dose should be increased before the daytime doses.

short-term relief of the symptoms of anxiety or anxiety associated with depressive symptoms. Anxiety or tension associated with the stress of everyday life usually does not require treatment with an anxiolytic.







Taj Group of Companies

#### TAJ PHARMACEUTICALS LTD.



#### Lipid Lowering

#### **HMG CoA reductase inhibitor**

- ✓ Reduces total cholesterol by 29% to 45%
- ✓ Reduces LDL cholesterol by 39% to 60%
- ✓ Prevents Lipid Peroxidation
- ✓ Prevents atherosclerosis

#### Increases HDL & Decreases LDL & VLDL

#### Choose

- Dyslipidemia
- Diabetic Hypertension & IHD
- Nephropathy, Retinopathy & Neuropathy

# Fenacor<sup>™</sup>160<sub>mg</sub> fenofibrate tablets & 200mg

Fenacor can help treat the complete cholesterol picture. Fibrates help lower triglyceride levels by reducing the amount of VLDL (the triglyceride-carrying particle that circulates in the blood), which speeds up the removal of triglycerides.

Fenacor can be taken with or without food. The dosages are 160 mg and 200 mg once-a-day.

If you're concerned about your cholesterol and triglyceride levels and diet and exercise are not enough to manage your levels, ask your doctor if Fenacor may be right for you.



Taj Pharmaceuticals Limited

Working For Healthier World INDIA

### Join The Antimalarial Movement







### Fast acting - better acting schizonticidal



Be the part to save more than a Million lives killed by Malaria

- Severe malaria
- Cerebral malaria
- Chloroquin resistant malaria

The Revolution Against Malaria





Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

**PRODUCT RANGE** 



Against gram (+ve) & Gram (-ve), Aerobic and Anaerobic Pathogenic Becteria

# Ultra-broad spectrum antibiotic



- ✓ Highly resistant to beta-lactamase& Cephalosporinase
- √ Superior to Imipenam
- ✓ Effective even against mixed infections

#### Duing

- Meningitis
- Pneumonia
- UTIs & SSTIs
- Septicaemia
- Pre & Post Operative Infections



The Unbeatable Warrior

Ref : 1 Jpn. J. Antibiotics. 2004 : 57 (1) Ref : 2 Clin Microbio 2000 6: 185-94

Ref: 3 Drugs-2000, Mar: 59

Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

## **Metherlin**<sup>®</sup>

(methylergonovine maleate) Tablets, USP 0.2 mg

# **Metherlin**<sup>®</sup>

(methylergonovine maleate) Injection, USP



### **5HT Adrenergic Agonist**

- ✓ Increases force, frequency & duration of uterine contractions
- ✓ Stops excessive bleeding

#### During

- 3rd stage of labour
- Postpartum haemorrhage
- Abortion & Miscarriage
- Ceasarean section
- Sub involution of the uterus

**True Care** 





#### **During Unexpected Turns...**



### MIFEBORT

Mifepristone 200 mg Tablets

### **MISOBORT**

Misoprostol 200 mcg Tablets

# The Twin Choice Pregnancy Termination

#### **Mifebort (Mifepristone)**

- Block progesterone receptors
- Induces menstrual bleeding
- Terminates pregnancy

#### **Misobort (Misoprostol)**

- Causes softening of cervix
- Induces uterine contractions
- Expel uterine contents

	Dosag	e
Day 1		3 Tabs (600 mg)
Day 3	MISOBORT	2 Tabs (400 mcg)

#### During

Unwanted pregnancy












The WONDER Pill....

Taj Pharmaceuticals Limited

Working For Healthier World™ INDIA







**NEOGRA** ® (sildenafil citrate) Erectile Dysfunction Medication.

Sex may not be the most important thing in life. But to most men, it's up there. So don't let erection problems keep you from a satisfying sex life.

#### What is erectile dysfunction?

ED is when a man has problems getting or maintaining an erection long enough for sex. It happens when not enough blood flows to the penis. ED isn't the same for all men. Some men aren't able to get an erection at all. Others can get one, but it's not hard enough for sex. And others get a hard

erection but lose it before or during sex. ED is a medical condition. So in most cases, erections will not improve without treatment.

#### A common issue

ED is more common than you might think. More than half of all men over 40 have some difficulty getting and maintaining an erection.

The fact is, guys at any age can experience ED.

NEOGRA (25-mg, 50-mg, 100-mg) tablets.



Keep Alive The Fire....

Taj Group of Companies

TAJ PHARMACEUTICALS LTD.



# Neurovital Forte

Vitamin B Complex with B<sub>12</sub> Tablets / Injection

### Vital Vitamins Support

**B-complex** 

- Rejuvenates cells & tissues

Vitamin B<sub>12</sub>

- Enhances Neuronal activity
- Promote RBC Synthesis
- Immune Booster

During

- Convalescence
- -- Chronic infections like TB, Malaria & HIV
- Anaemia



**COMPLETE VITAL FOR DAILY LIFE** 



Taj Group of Companies


TAJ PHARMACEUTICALS LTD.



# PRILOSID

### Omeprazole Capsules IP

Relief from Heartburn & Acid Indigestion



- Blocks final stage of acid secretion
- Free from reflux hyperacidity
- Effective during 3<sup>rd</sup> & 4<sup>th</sup> stages where others fail

- Added antibacterial activity against H. pylori
- Ideal partner in ulcer therapy

#### During

- ⊗ Peptic ulcer,
- ® Duodenal ulcer,
- ☼ Esophageal ulcer
- ⊗ Zollinger-Ellison syndrome

Ideal R during drug induced hyperacidity
& ulcers





PRILOSID

FIGNTHING FOR HEARTBURN

#### Taj Group of Companies TAJ PHARMACEUTICALS LTD.

**PRODUCT RANGE** 



A 5000-IU vial of RECOBIN-X powder, when reconstituted with 5 mL of sterile 0.9% sodium chloride, USP, from the supplied prefilled syringe yields a solution containing 1000 IU/mL of Thrombin, topical (Recombinant) for clinical use.

RECOBIN™ Thrombin, topical (Recombinant) is indicated as an aid to hemostasis whenever oozing blood and minor bleeding from capillaries and small venules is accessible and control of bleeding by standard surgical techniques is ineffective or impractical.



For topical use only. DO NOT INJECT.

Apply on the surface of bleeding tissue only.

The volume of reconstituted RECOBIN required will vary, depending on the size and number of bleeding sites to be treated and the method of application The healthcare professional should determine the number of vials required to produce a sufficient volume of reconstituted product.


The following supplies are provided in each RECOBIN package:

- \* One vial of RECOBIN (5000 IU)
- \* One prefilled diluent syringe containing sterile 0.9% sodium chloride injection, USP (5 mL)
- \* One sterile, needle-free transfer device
- \* One sterile empty syringe (5 mL)

Inspect the integrity of the RECOBIN package and contents. Do not use if the packaging or contents have been damaged or opened.

2.1 Reconstitution of RECOBIN- X

The lyophilized powder is reconstituted, using the supplied diluent, in less than 1 minute at room temperature.













REXPRIN Aspirin Tablets

Can an aspirin a day really prevent a heart attack? Rexprin Aspirin (USAN), also known as acetylsalicylic acid is a salicylate drug, often used as an analgesic to relieve minor aches and pains, as an antipyretic to reduce fever, and as an anti-inflammatory medication. Aspirin also has an antiplatelet, or "anti-coagulate", effect by inhibiting thromboxane prostaglandins, which under normal circumstances bind platelet molecules together to repair damaged blood vessels. This is why aspirin is used in long-term, low doses to prevent heart attacks, strokes, and blood clot formation in people at high risk for developing blood clots. It has also been established that low doses of aspirin may be given immediately after a heart attack to reduce the risk of another heart attack or of the death of cardiac tissue. The main undesirable side effects of aspirin are gastrointestinal ulcers, stomach bleeding, and tinnitus, especially in higher doses. In children and adolescents, aspirin is no longer used to control flu-like symptoms or the symptoms of chickenpox or other viral illnesses, due to the risk of Reye's syndrome.

YES Usewhen

Mild to moderate pain Increased risk of blood clotting Heart attack Stroke

# EXCELLENT PAINKILLER AND ANTI-INFLAMMATORY

Use of Rexprin (Aspirin) is to treat the **various forms of arthritis-- including rheumatoid** arthritis, juvenile rheumatoid arthritis, osteoarthritis, and some other rheumatological diseases. About 23.3 percent of the population uses aspirin for this purpose.

\* The side effects are seen in a small percentage of persons using the medicine. The benefits of using the drug usually out-weigh the side-effects. Your doctor is the best person to decide the use and dosage of any drug.

REXPRIN Aspirin Tablets

Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

Methyl Prednisolone Sodium Succinate 1 gm

SU-Medrol'

Injection

#### Success On Crucial Time

Duing

- ACUTE SPINAL CORD INJURY
- NEUROLOGICAL DISORDERS
- CANCER THERAPY

#### **STATUS ASTHMATICUS**

- Recommended by Harrison's Principle of Internal Medicine 16<sup>th</sup> edition & Nelson's Textbook of Pediatrics
- Superior anti-inflammatory effect
- Improvement in air flow parameters like Forced Expiratory Volume (FEV.)
- Potentiates the action of bronchodilators
- Minimal Mineral corticoid activity
- Safe in hypertensive patients

Dosage: 40 -125 mg every 6hrs till the acute attacks is in control.

- 1) Dipiro Pharmacotherapy .A Pathophysiological Approach, 4th edition, 1990:450
- 2) Haskell et al, Arch Intem Med-Vol 143, July 1983; 1326-1327
- 3) Paupe JR, Glucocorticoids in pneumology. Sem Hop, Jan 26 1984 60(3):195-201



Piperacillin Sodium + Tazobactam Sodium 4.5 G.

# PIPRANEM

Injection

#### SAVE THE LIVES FROM KILLER

- AppTendicitis
- Peritonitis
- Cholecystitis



- Empirical choice in nosocomial infections.
- ☐ Greater activity against B-lactamases.
- 91% ESBL producers are susceptible to PIPERANEM.
- Most active agent tested against multi drugs.
- Resistant isolates of pseudomonas aeruginosa.
- Tazobactum is active against ESBL producers.





### Effective yet safe

Cefixime USP as Trihydrate 50 mg

TROXIM-O



- Cefixime Dispersible Tablets
- TROXIM

100 DT 200 DT

#### Ideal during

- ★ Typhoid & fever of unknown origin
- ★ Respiratory Tract Infections
- ★ UTIs & Gynaec Infections
- ★ Skin & Soft Tissue Infections

- ★ 3<sup>rd</sup> generation oral cephalosporin
- ★ High beta-lactamase stability
- ★ Wider antibacterial coverage

The all generation antibiotic



Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

# Tocoder-400

The Antioxidant Vitamin plus much more...


### Vitamin E 400 mg Softgel Capsule

- Improves blood lipid profile, prevents atherosclerosis & reduces cardiovascular disorder.
- Increases joint mobility & provides pain relief in arthritic patients
- Slow down aging of cells & enhances immunity
- Prevents anaemia, improves brain function provides anti-inflammatory activity

During

- Hypertension
- **◆ Atherosclerosis**
- Carcinoma
- Anaemia

- Alzheimer's disease
- Arthritis
- Skin disorders
- Post menopausal Syndrome





Taj Group of Companies
TAJ PHARMACEUTICALS LTD.



**ORAL BLOOD-GLUCOSE-LOWERING DRUG** 



#### **CONVENIENCE COMPLIANCE CONTROL**

Tyrael is an oral diabetes medicine that helps control blood sugar levels. This medication

#### helps your body respond better to insulin produced by your pancreas.

Tyrael is used together with diet and exercise to treat type **2 (non-insulin dependent)** diabetes. Insulin or other diabetes medicines are sometimes used in combination with this medicine if needed.

TYRAEL® (glimepiride tablets) is an oral blood-glucose-lowering drug of the sulfonylurea class. Glimepiride is a white to yellowish-white, crystalline, odorless to practically odorless powder formulated into tablets of 1-mg, 2-mg, and 4-mg strengths for oral administration. TYRAEL tablets contain the active ingredient glimepiride and the following inactive ingredients: lactose (hydrous), sodium starch glycolate, povidone, microcrystalline cellulose, and magnesium stearate. In addition, TYRAEL 1-mg tablets contain Ferric Oxide Red, TYRAEL 2-mg tablets contain Ferric Oxide Yellow and FD&C Blue #2 Aluminum Lake, and TYRAEL 4-mg tablets contain FD&C Blue #2 Aluminum Lake.

Also Avail:





#### Taj Group of Companies TAJ PHARMACEUTICALS LTD.







to control certain types of seizures. It may be also used to prevent migraine




This drug is used to treat epilepsy in both children and adults. In many cases it can also be used as an antidepressant. In children it is also indicated for treatment of Lennox-Gastaut syndrome (a disorder that causes seizures and developmental delay). It is also Food and Drug Administration (FDA) approved for, and now most frequently prescribed for, the prevention of migraines. It has been used by psychiatrists to treat bipolar disorder, although it is not FDA approved for this purpose. This drug has been investigated for use in treatment of obesity, especially to aid in the reduction of binge eating, and also as a possible treatment for alcoholism. However, these uses are not actively promoted by the manufacturer, and like its use for bipolar disorder, are off-label uses.



>> In order to avoid early side-effects (e.g. cognitive dysfunction) the initial dosage normally is low and increased in slow steps.

The usual initial dosage is 25 to 50 mg daily in 2 single doses. Recommended increments are 25 to >> 50mg every 1 or 2 weeks.

Common dosages for maintenance treatment are 100 to 200 mg daily. The highest dosage possible is 1,000 mg daily in divided doses.






Taj Group of Companies
TAJ PHARMACEUTICALS LTD.



*(atenolol)* TABLETS



TENOSYL (atenolol), a synthetic, beta<sub>1</sub>-selective (cardioselective) adrenoreceptor blocking agent, may be chemically described as benzeneacetamide, **4** -[2'-hydroxy-3'-[(1- methylethyl) amino] propoxy]-. The molecular and structural formulas are:



# TENOSYL is available as 25, 50 and 100 mg tablets for oral administration.

Store at controlled room temperature, 20-25°C (68-77°F) [see USP]. Dispense in well-closed, light-resistant containers

Atenolol is a **ß1 receptor** selective antagonist, a drug belonging to the group of **ß-blockers**, a class of drugs used primarily in cardiovascular diseases.



Taj Group of Companies
TAJ PHARMACEUTICALS LTD.




SODIUM VALPORATE & VALPORIC ACID TABLETS 🏏

Each retard 500 tablet film-coated tablet contains:

Valproic acid......145 mg Sodium valproate.....333 mg





Excipients contained in the tablets film-coated tablets include: hipromelose 4000 (3000 mPas); silicone-dioxide, colloid, hydrate; ethyl cellulose 20 mPas; saccharine sodium; silicone-dioxide, colloid, anhydrate. Excipients in the film coating of tablets include: hipromelose (6 mPas); macrogel 6000; polyacrylate, dispersion 30%; talcum and titanium-dioxide (E 171).

#### I. Treatment of epilepsy

Wallbrurate® retard 500 tablets film-coated) is indicated for children. It is the first choice drug in cases of primary generalized epilepsy, such as:

- Absence attacks (petit mal epilepsy)
- Mvoclonic attacks
- Generalized tonic-clonic seizures (grand mal epilepsy)
- Atonic or akinetic attacks

Sodium valproate is the second choice drug in partial attacks:

- Simple (temporal, psychomotor, Jacksonian epilepsy
- Complex (with loss of consciousness)
- Secondary generalized convulsions
- Mixed forms (generalized and partial)
- II. Treatment and prevention of mania in affective bipolar disorder

**Wallbrurate® retard 500 tablets film-coated** should be stored at temperatures below 25°C, protected from light and out of reach of children.

3 years. The drug should not be used after the date marked on the packages.

Box with 30 tablets film-coated

ixabepilone) for Injection

Taj Group of Companies

TAJ PHARMACEUTICALS LTD.

#### **Metastatic Breast Cancer Treatment**

For Advanced Breast Cancer Patients (ixabepilone) for Injection

Wempra the treatment


aggressive metastatic or locally

advanced breast cancer no longer responding to currently

available chemotherapies.



WEMPRA (ixabepilone) is a semisynthetic analog of epothilone B indicated for the treatment of patients with metastatic or locally advanced breast cancer.



WEMPRA is indicated in combination with capecitabine for the treatment of patients with metastatic or locally advanced breast cancer resistant to treatment with an anthracycline and a taxane, or whose cancer is taxane resistant and for whom further anthracycline therapy is contraindicated. Anthracycline resistance is defined as progression while on therapy or within 6 months in the adjuvant setting or 3 months in the metastatic setting. Taxane resistance is defined as progression while therapy or within 12 months in the adjuvant setting or 4 months in the metastatic setting.



For Advanced Breast Cancer Patients (ixabepilone) for Injection

Ixabepilone (INN; also known as azaepothilone B, codenamed BMS-247550) is an epothilone B analog