

A Taj Pharmaceuticals Limited NEW PRODUCT



CHEMOTHERAPY PILLS FOR METASTATIC BREAST AND COLORECTAL CANCERS AND STAGE III (DUKES' C) COLON CANCERS.

** oral use

Chemotherapy pills for metastatic breast and colorectal cancers and Stage III (Dukes' C) colon cancers.

Effective Chemo in a Pill

XLOTABIN is used to treat:

* cancer of the colon or rectum (colorectal cancer) that has spread to other parts of the body (metastatic colorectal cancer). XLOTABIN is used as a single drug to treat metastatic colorectal cancer. You should know that in studies, other medicines showed improved survival when they were taken together with 5-FU and leucovorin. In studies, XLOTABIN used as a single drug was no worse than 5-FU and leucovorin taken together, but did not improve survival compared to these two medicines.

* cancer of the colon after surgery.

* breast cancer that has spread to other parts of the body (metastatic breast cancer) together with another medicine called docetaxel.

* breast cancer that has spread to other parts of the body and has not improved after treatment with other medicines such as paclitaxel and anthracycline-containing medicine such as doxorubicin.

The first FDA-approved oral chemotherapy for both metastatic breast and colorectal cancer, and Dukes' C Stage III colon cancer.



500 mg & 150 mg

The 500 mg tablets are peach in color with 500 on one side

The 150 mg tablets are light peach in color with 150 on one side

What is XLOTABIN?

Most chemotherapy is given through intravenous (IV) tubes at treatment centers. XLOTABIN is different. It's a chemotherapy pill that you can take at home or at work. If you take XLOTABIN chemotherapy pills without other treatments, XLOTABIN might reduce the time you spend at your doctor's office.

For example, Mayo Clinic's recommended schedule for treating colon cancer requires up to 30 clinic visits over a 24-week treatment course. Patients taking XLOTABIN for colon cancer generally require fewer clinic visits.

How does XLOTABIN work?

XLOTABIN is a drug taken by mouth and then converted by your body into an effective anticancer drug. Here's what happens after you swallow a XLOTABIN pill:

1. XLOTABIN passes through the digestive system into the bloodstream.
2. Once in the bloodstream, it reaches individual cells, including cancer cells.
3. Inside the cancer cells, XLOTABIN is transformed into 5-FU — an effective cancer-fighting drug.

A Taj Pharmaceuticals Limited NEW PRODUCT

Xlotabin™

Capecitabine Tablets- film- coated tablets

Copyright © 2004-2010 Taj Pharmaceuticals Limited. , India All rights reserved.

Use and access of this site is subject to the terms and conditions as set out in our LEGAL Statement and PRIVACY Statement.

For more information about XLOTABIN, contact your physician or other healthcare professional.

A Taj Pharmaceuticals Limited NEW PRODUCT

CXlotabin™
Capecitabine Tablets - film-coated tablets

A Taj Pharmaceuticals Limited NEW PRODUCT



CHEMOTHERAPY PILLS FOR METASTATIC BREAST AND
COLORECTAL CANCERS AND STAGE III (DUKES' C) COLON CANCERS.

Learn to recognize XLOTABIN (capecitabine) Tablets side effects

It's common to experience side effects on XLOTABIN (capecitabine) Tablets. Take a moment to read about the most common ones, and learn which XLOTABIN (capecitabine) Tablets side effects are serious enough to require your stopping treatment right away and calling your doctor. If you have a side effect that fits any of the descriptions below, stop taking XLOTABIN (capecitabine) Tablets and contact your doctor right away.

- * **Diarrhea:** If you have an additional 4 bowel movements each day beyond what's normal, or any diarrhea at night
- * **Vomiting:** If you vomit more than once in a 24-hour period
- * **Nausea:** If you lose your appetite and the amount of food you eat each day is much less than usual
- * **Stomatitis:** If you have pain, redness, swelling, or sores in your mouth
- * **Hand-foot syndrome:** If you have pain, swelling, or redness of your hands or feet that prevents normal activity
- * **Fever or infection:** If you have a temperature of 100.5°F or greater, or other signs of infection

Adjusting the dose can be an important part of XLOTABIN (capecitabine) Tablets treatment

If you have side effects, your doctor can adjust your dose or stop your XLOTABIN (capecitabine) Tablets treatment for a while. This should help reduce the side effects and stop them from getting worse. If caught early, most of these side effects usually improve after you stop taking XLOTABIN (capecitabine) Tablets. If they do not improve within 2 to 3 days, call your doctor about side effects again. After side effects have improved, your doctor will tell you whether to start taking XLOTABIN (capecitabine) Tablets again and, if so, what dose to use. Adjusting the XLOTABIN (capecitabine) Tablets dose to be right for each patient is an important part of treatment.

If you take XLOTABIN (capecitabine) Tablets in combination with docetaxel you may experience some different side effects.

Please ask your doctor about possible side effects that may be caused by taking XLOTABIN (capecitabine) Tablets with docetaxel.

Rely on your healthcare team

You might have some questions about your battle with cancer you feel too embarrassed to ask. For example, you could be concerned about your physical appearance. Remember, your doctor and other members of your healthcare team are comfortable discussing every aspect of cancer care. With their training and experience, they could have some suggestions and resources you would find very useful.

Who's on the team?

Learning who does what on your healthcare team can be confusing. To help you keep things straight, we've created a handy sheet where you can write down all their names, job titles, and contact information

Copyright © 2004-2010 Taj Pharmaceuticals Limited. , India All rights reserved.
Use and access of this site is subject to the terms and conditions as set out in our LEGAL Statement and PRIVACY Statement.




For more information about XLOTABIN, contact your physician or other healthcare professional.

Taj Pharmaceuticals Limited ** NEW PRODUCT FOR EXPORT ONLY.

A Taj Pharmaceuticals Limited NEW PRODUCT



CHEMOTHERAPY PILLS FOR METASTATIC BREAST AND
COLORECTAL CANCERS AND STAGE III (DUKES' C) COLON CANCERS.



Learn to recognize XLOTABIN (capecitabine) Tablets side effects

It's common to experience side effects on XLOTABIN (capecitabine) Tablets. Take a moment to read about the most common ones, and learn which XLOTABIN (capecitabine) Tablets side effects are serious enough to require your stopping treatment right away and calling your doctor. If you have a side effect that fits any of the descriptions below, stop taking XLOTABIN (capecitabine) Tablets and contact your doctor right away.

- * **Diarrhea:** If you have an additional 4 bowel movements each day beyond what's normal, or any diarrhea at night
- * **Vomiting:** If you vomit more than once in a 24-hour period
- * **Nausea:** If you lose your appetite and the amount of food you eat each day is much less than usual
- * **Stomatitis:** If you have pain, redness, swelling, or sores in your mouth
- * **Hand-foot syndrome:** If you have pain, swelling, or redness of your hands or feet that prevents normal activity
- * **Fever or infection:** If you have a temperature of 100.5°F or greater, or other signs of infection

Adjusting the dose can be an important part of XLOTABIN (capecitabine) Tablets treatment

If you have side effects, your doctor can adjust your dose or stop your XLOTABIN (capecitabine) Tablets treatment for a while. This should help reduce the side effects and stop them from getting worse. If caught early, most of these side effects usually improve after you stop taking XLOTABIN (capecitabine) Tablets. If they do not improve within 2 to 3 days, call your doctor about side effects again. After side effects have improved, your doctor will tell you whether to start taking XLOTABIN (capecitabine) Tablets again and, if so, what dose to use. Adjusting the XLOTABIN (capecitabine) Tablets dose to be right for each patient is an important part of treatment.

If you take XLOTABIN (capecitabine) Tablets in combination with docetaxel you may experience some different side effects.

Please ask your doctor about possible side effects that may be caused by taking XLOTABIN (capecitabine) Tablets with docetaxel.

Rely on your healthcare team

You might have some questions about your battle with cancer you feel too embarrassed to ask. For example, you could be concerned about your physical appearance. Remember, your doctor and other members of your healthcare team are comfortable discussing every aspect of cancer care. With their training and experience, they could have some suggestions and resources you would find very useful. **Who's on the team?**

Learning who does what on your healthcare team can be confusing. To help you keep things straight, we've created a handy sheet where you can write down all their names, job titles, and contact information

Copyright © 2004-2010 Taj Pharmaceuticals Limited. , India All rights reserved.
Use and access of this site is subject to the terms and conditions as set out in our LEGAL Statement and PRIVACY Statement.



For more information about XLOTABIN, contact your physician or other healthcare professional.

Taj Pharmaceuticals Limited ** NEW PRODUCT FOR EXPORT ONLY.

